

# **INTERNATIONAL JOURNAL ON ALGAE**

## **CONTENTS, VOLUME 18, 2016**

---

**Page Range of Issues; Issue 1: 5–104; Issue 2: 105–201; Issue 3: 203–300; Issue 4:  
301–395**

---

### **Issue 1**

<b>Evolution of the Circadian Clock System in Cyanobacteria: A Genomic Perspective</b> <i>V. Dvornyk</i>	<b>5</b>
<b>Dinoflagellates in the Sevastopol Coastal Zone (Black Sea, Crimea)</b> <i>Yu.V. Bryantseva, A.F. Krakhmalnyi, V.N. Velikova, &amp; A.V. Sergeeva</i>	<b>21</b>
<b>The First Finding of <i>Chara rufa</i> (A. Braun) Leonh. (<i>Charales, Charophyta</i>) in Ukraine</b> <i>E.V. Borisova &amp; D.N. Iakushenko</i>	<b>33</b>
<b>A Study of Flora of <i>Bacillariophyta</i> in Water Bodies and Water Courses of the Naduiyakha River Basin (Yamal Peninsula, Russia)</b> <i>S.I. Genkal &amp; M.I. Yarushina</i>	<b>39</b>
<b>Benthic Algae of the Freshwater Ecosystems of the Tiligulskiy Regional Landscape Park (Ukraine)</b> <i>A.N. Mironyuk, F.P. Tkachenko, &amp; K.B. Sardarian</i>	<b>57</b>
<b>Representatives of <i>Stigonematales</i> in Flora of Ukraine: Diversity, Ecology, Taxonomic Position</b> <i>O.N. Vinogradova</i>	<b>67</b>
<b><i>Bacillariophyta</i> of Small Water Bodies of Kiev (Ukraine). 1. <i>Naviculales</i></b> <i>G.G. Lilitskaya</i>	<b>81</b>

### **Issue 2**

<b><i>Chrysodidymus</i> Prowse (<i>Chrysophyceae, Synurales</i>), a New Genus for the Ukrainian Algal Flora</b> <i>D.A. Kapustin &amp; E.S. Gusev</i>	<b>105</b>
<b><i>Dinoflagellata</i> (<i>Dinophyta</i>) of the Mediterranean Sea Coastal Waters in the Haifa Area (Israel)</b> <i>A.F. Krakhmalnyi, S.P. Wasser, M.A. Krakhmalnyi, &amp; E. Nevo</i>	<b>111</b>
<b>Studies on the Genera <i>Jolyna</i> Guimarães and <i>Rosenvingea</i> Børgesen (<i>Scytoniphonales</i>) from Coastal Waters of Karachi (Pakistan)</b> <i>K. Aisha &amp; M. Shameel</i>	<b>129</b>

<b>Taxocenosis Structure and Diversity of Diatoms in the Littoral Zone of Lake Baikal at the Confluence of the Rivers</b>	<b>143</b>
<i>G.V. Pomazkina &amp; E.V. Rodionova</i>	
<b>Antioxidant System of <i>Spirulina platensis</i> (Nordst.) Geitler under the LED Lighting of Different Spectral Compositions</b>	<b>157</b>
<i>N.V. Kozel, E.E. Manankina, Y.V. Viazau, I.A. Dremuk, S.M. Savina, &amp; K.O. Adamchyk</i>	

<b>Activity of Antioxidant Enzymes of Cyanoprokaryota and Green Microalgae Culturing under Different Temperature Conditions</b>	<b>169</b>
<i>A.V. Kureishevich, I.N. Nezbrytskaya, &amp; A.V. Stanislavchuk</i>	
<b>Phytohormones of Microalgae: Biological Role and Involvement in the Regulation of Physiological Processes. Pt II. Cytokinins and Gibberellins</b>	<b>179</b>
<i>K.O. Romanenko, I.V. Kosakovskaya, &amp; P.O. Romanenko</i>	

### Issue 3

<b>Analysis of the <i>Charales</i> Flora of Ukraine</b>	<b>203</b>
<i>E.V. Borisova</i>	
<b>Microscopic Algae of Zmiinyi Island (the Black Sea, Ukraine)</b>	<b>217</b>
<i>V.P. Gerasimiuk</i>	
<b><i>Bacillariophyta</i> of Small Water Bodies of Kiev (Ukraine). 2. Araphid Diatoms: <i>Fragilariaeae</i>, <i>Diatomaceae</i>, and <i>Tabellariaceae</i></b>	<b>225</b>
<i>G.G. Lilitskaya</i>	
<b>Algae of Different Biotopes of the Arabat Spit, Azov Sea (Ukraine)</b>	<b>247</b>
<i>A.N. Solonenko</i>	
<b>Additional Data of Algae-Macrophytes from South Sakhalin and the South Kuril Islands (Russia)</b>	<b>257</b>
<i>N.V. Evseeva</i>	

<b>Taxonomic Study of the Family <i>Zygnemaceae</i> along G.T. Road between Shahdara and Gujranwala, Pakistan</b>	<b>271</b>
<i>A. Zarina &amp; M. Shameel</i>	
<b>The Medium for Intensive Culture of the Diatom <i>Cylindrotheca closterium</i> (Ehrenb.) Reimann et Lewin (<i>Bacillariophyta</i>)</b>	<b>277</b>
<i>V.I. Ryabushko, S.N. Zheleznova, R.G. Gevorgiz, N.I. Bobko, &amp; A.S. Lelekov</i>	

<b>The First Record of <i>Bacillariophyta</i> Imprints on Shells of Foraminifera <i>Spiroplectammina</i> Cushman (Lower Oligocene of Southern Ukraine)</b>	<b>287</b>
<i>O.P. Olshtynskaya &amp; T.A. Stefanskaya</i>	

### Issue 4

<b>New Taxa for the Flora of Ukraine, in the Context of Modern Approaches to Taxonomy of Cyanoprokaryota/Cyanobacteria</b>	<b>301</b>
<i>T.I. Mikhailyuk, O.N. Vinogradova, K. Glaser, &amp; U. Karsten</i>	

<b>The Revision of Taxonomical Composition of Cretaceous Calcareous Nannoplankton of Southern Ukraine</b>	<b>321</b>
<i>A.V. Matveyev</i>	
<b>Gomphosphenia stoermeri Kociolek et Thomas (<i>Bacillariophyta</i>) is a New Species for the Flora of Russia</b>	<b>331</b>
<i>S.I. Genkal &amp; M.I. Yarushina</i>	
<b>Cyanoprokaryota of the Kuyalnik Estuary Ecosystem (Ukraine)</b>	<b>337</b>
<i>P.M. Tsarenko, A.A. Ennan, G.N. Shikhalevya, S.S. Barinova, V.P. Gerasimiuk, &amp; V.E. Ryzhko</i>	
<b>First Data on <i>Bacillariophyta</i> of International Biosphere Reserve “Roztocze” (Ukraine)</b>	<b>353</b>
<i>O.M. Kryvosheia &amp; M.N. Vlasiuk</i>	
<b>Analysis of the Flora of <i>Charales</i> (<i>Charophyta</i>) of Ukraine</b>	<b>365</b>
<i>E.V. Borisova</i>	
<b>Phytoplankton Taxonomic Structure of the Lower Part of the Southern Bug River (Ukraine)</b>	<b>377</b>
<i>E.P. Belous</i>	
<b>Cyanoprokaryota of the Polisarka, Pana, Varzuga Rivers District (Murmansk Region, Russia)</b>	<b>387</b>
<i>D. Davydov</i>	
<b>Index, Volume 18, 2016</b>	<b>396</b>

# ***INTERNATIONAL JOURNAL ON ALGAE***

## **AUTHOR INDEX, VOLUME 18, 2016**

**Page Range of Issues; Issue 1: 5–104; Issue 2: 105–201; Issue 3: 203–300; Issue 4:  
301–395**

Adamchyk, K.O., 157	Krakhmalnyi, A.F., 21, 111	Ryzhko, V.E., 337
Aisha, K., 129	Krakhmalnyi, M.A., 111	Sardarian, K.B., 57
Barinova, S.S., 337	Kryvosheia, O.M., 353	Savina, S.M., 157
Belous, E.P., 377	Kureishevich, A.V., 169	Sergeeva, A.V., 21
Bobko, N.I., 277	Lelekov, A.S., 277	Shameel, M., 129,
Borisova, E.V., 33, 203, 365	Lilitskaya, G.G., 81, 225	271
Bryantseva, Yu.V., 21	Manankina, E.E., 157	Shikhalevaya, G.N., 337
Davydov, D., 387	Matveyev, A.V., 321	Solonenko, A.N., 247
Dremuk, I.A., 157	Mikhailyuk, T.I., 301	Stanislavchuk, A.V., 169
Dvornyk, V., 5	Mironyuk, A.N., 57	Stefanskaya, T.A., 287
Ennan, A.A., 337	Nevo, E., 111	Tkachenko, F.P., 57
Evseeva, N.V., 257	Nezbrytskaya, I.N., 169	Tsarenko, P.M., 337
Genkal, S.I., 39, 331	Olshtynskaya, O.P., 287	Velikova, V.N., 21
Gerasimuk, V.P., 217, 337	Pomazkina, G.V., 143	Viazau, Y.V., 157
Gevorgiz, R.G., 277	Rodionova, E.V., 143	Vinogradova, O.N., 67, 301
Glaser, K., 301	Romanenko, K.O., 179	Vlasiuk, M.N., 353
Gusev, E.S., 105	Romanenko, P.O., 179	Wasser, S.P., 111
Iakushenko, D.N., 33	Ryabushko, V.I., 277	Yarushina, M.I., 39, 331
Kapustin, D.A., 105		Zarina, A., 271
Karsten, U., 301		Zheleznova, S.N., 277
Kosakovskaya, I.V., 179		
Kozel, N.V., 157		

# **INTERNATIONAL JOURNAL ON ALGAE**

## **SUBJECT INDEX, VOLUME 18, 2016**

**Page Range of Issues; Issue 1: 5–104; Issue 2: 105–201; Issue 3: 203–300; Issue 4:  
301–395**

- |  |  |   |
|--|--|---|
| 16S rRNA, 301                                    | <i>Dinoflagellata</i> , 111              | Murmansk Region, 387                    |
| 16S-23S ITS, 301                                 | dinoflagellates, 21                      | Naduiyakha River basin,<br>39           |
| algae, 57, 217, 247                              | <i>Dinophyta</i> , 111                   | <i>Naviculales</i> , 81                 |
| algal flora, 377                                 | diversity, 67                            | new records, 217, 301,<br>331           |
| anatomy, 129                                     | ecology, 67, 387                         | new species, 225                        |
| antioxidant enzymes                              | electron microscopy, 39                  | new taxa, 143                           |
| superoxide dismutase,<br>169                     | environmental factors, 337               | <i>Nodosilinea</i> , 301                |
| antioxidant system, 157                          | evolution, 5                             | noteworthy records, 225                 |
| Arabat Spit, 247                                 | <i>Fischerella major</i> , 67            | nutritive medium, 279                   |
| aphrid diatoms, 225                              | flora, 81, 203, 225, 257,<br>365         | <i>Oculatella</i> , 301                 |
| Azov Sea, 247                                    | foraminifera, 287                        | Pakistan, 271                           |
| <i>Bacillariophyta</i> , 287, 353                | <i>Fragillariales</i> , 225              | peloids, 337                            |
| benthos, 143                                     | freshwater ecosystems, 57                | <i>Phaeophycota</i> , 129               |
| biodiversity, 111                                | genomics, 5                              | photosynthetically active<br>light, 157 |
| bioindication, 57                                | gibberellins, 179                        | phytoplankton, 39, 377                  |
| biosphere reserve, 353                           | glutathioneperoxidase,<br>169            | <i>Pulvinularia suecica</i> , 67        |
| Black Sea, 21, 217                               | <i>Gomphosphenia<br/>stoermeri</i> , 331 | rare species, 67                        |
| Calcareous                                       | green algae, 271                         | reproduction, 129                       |
| nannoplankton, 321                               | growth, 179                              | <i>Roholtiella</i> , 301                |
| <i>Capsosira brebissonii</i> , 67                | <i>Jolyna</i> , 129                      | <i>Rosenvingea</i> , 129                |
| catalase, 169                                    | Kiev, 81, 225                            | Roztocze, 353                           |
| <i>Chara rудis</i> , 33                          | Kuyalnik Estuary, 337                    | Russia, 331, 387                        |
| <i>Charales</i> , 33, 203, 365                   | Lake Baikal, 143                         | scales, 105                             |
| <i>Charophyta</i> , 203, 365                     | littoral, 143                            | seaweeds, 257                           |
| <i>Chlorophycota</i> , 271                       | Lower Oligocene, 287                     | secondary structure, 301                |
| <i>Chlorophyta</i> , 169                         | lower part, 377                          | SEM, 331                                |
| chrysophytes, 105                                | macro- and                               | Sevastopol coastal zone,<br>21          |
| circadian rhythm, 5                              | microelements, 279                       | small water bodies, 81,<br>225          |
| Cretaceous, 321                                  | macroscopic growth, 247                  | south Kuril Islands, 257                |
| cultivation, 279                                 | marine algae, 257                        | south Sakhalin, 257                     |
| cyanobacteria, 5, 217,<br>301, 387               | <i>Mediterranean Sea</i> , 111           | Southern Bug River, 377                 |
| <i>Cyanoprokaryota</i> , 169,<br>247, 337, 387   | <i>Meridion ovatum</i> , 225             | Southern Ukraine, 287                   |
| cytotoxins, 179                                  | microalgae, 179                          | species composition, 21,<br>57, 337     |
| diatom algae, 39                                 | Mordyyakha River basin,<br>331           | species diversity, 217, 387             |
| diatom <i>Cylindrotheca<br/>closterium</i> , 279 | morphology, 111, 129,<br>331             |   |

- spectral composition of the LEDs, 157
- Spirulina platensis*, 157
- Stigonema intermedium*, 67
- Stigonematales*, 67
- stress, 179
- Synurales*, 105
- taxonomic list, 321
- taxonomic, 271
- taxonomical structure, 377
- taxonomy, 67
- temperature, 169
- Tiligulskiy Regional Landscape Park, 57
- typification, 105, 225
- Ukraine, 33, 67, 203, 301, 321, 337, 353, 365
- Ukrainian Carpathians, 33
- Yamal Peninsula, 39, 331
- Zmiinyi Island, 217
- Zygnemaceae*, 271