

ATOMIZATION AND SPRAYS

CONTENTS, VOLUME 29, 2019

Page Range of Issues – 1: 1–103; Issue 2: 105–198; Issue 3: 199–287; Issue 4: 289–380;
Issue 5: 381–476; Issue 6: 477–576; Issue 7: 577–675; Issue 8: 677–762; Issue 9: 763–859;
Issue 10: 861–963; Issue 11: 965–1041; Issue 12: 1043–1131

ISSUE 1

Insight of a Water-in-Oil Emulsion Drop under Leidenfrost Heating Using Laser-Induced Fluorescence Optical Diagnostics	1
<i>O. Moussa, D. Francelino, D. Tarlet, P. Massoli, & J. Bellette</i>	
Experimental and numerical Studies on Spray Characteristics of an Internal Oscillating Nozzle	19
<i>W. Xie, Z. Hu, W. Zhao, J. Zhai, Y. Wang, L. Li, & Z. Wu</i>	
Measurement of Dynamic Surface Tension of Suspension Sprays Based on Oscillating Jet Technique	39
<i>A. Saleh, G. Amini, & A. Dolatabadi</i>	
X-Ray Phase Contrast Imaging of Cavitation and Discharged Liquid Jet in Nozzles with Various Sizes	59
<i>R. Prasetya, A. Sou, S. Moon, R.H. Pratama, Y. Wada, & H. Yokohata</i>	
Effect of Transverse Acoustic Forcing on the Characteristics of Impinging Jet Atomization	79
<i>S. Dighe & H. Gadgil</i>	

ISSUE 2

The Viscous Effect on the Transient Droplet Deformation Process under the Action of Shock Wave	105
<i>S. Shen, J. Li, C. Tang, J. Liu, X. Ma, & W. Fan</i>	
In-Nozzle Cavitation and Discharged Liquid Jet during Transient Injection Process	123
<i>R. Prasetya, A. Sou, S. Moon, R.H. Pratama, Y. Wada, & H. Yokohata</i>	
The Physical Mechanism for Melt Pulsation during Close-Coupled Atomization	143
<i>A.M. Mullis</i>	
Development of Internal-Mixing Twin-Fluid Atomizer with Multiple Exit Ports for Heavy Oil-Fired Boilers	161
<i>K. Hashiguchi, F. Yamane, H. Fujii, K. Sato, & K. Nishida</i>	
Large Eddy Simulations on Asymmetrical Atomization of the Elliptical Jet with Cavitation	177
<i>L. Zhang, Q. Wang, W. Guan, T. Cao, L. Duan, T. Pachiannan, & Z. He</i>	

ISSUE 3

X-Ray Measurements of Fuel Spray Specific Surface Area and Sauter Mean Diameter for Cavitating and Non-Cavitating Diesel Sprays	199
<i>K.E. Matusik, B.A. Sforzo, H.J. Seong, D.J. Duke, A.L. Kastengren, J. Ilavsky, & C.F. Powell</i>	
Breakup Dynamics and Near Nozzle Spray Fluctuations in a Twin-Jet Cross-Flow Airblast Atomizer	217
<i>S. Patil & S. Sahu</i>	
Femtosecond Digital Holography in the Near-Nozzle Region of a Dodecane Spray	251
<i>M. Minniti, A. Ziaeef, D. Curran, J. Porter, T. Parker, & D. Dunn-Rankin</i>	

Characteristics of Surface Waves in Planar Liquid Streams Colliding with Nonuniform Velocity Profiles	269
<i>V. Bodoc & O. Rouzaud</i>	

ISSUE 4

Time-Dependent Breakup Length of Liquid Sheet in Prefilming Type of Airblast Atomizer	289
<i>T. Okabe, N. Katagata, T. Sakaki, M. Shirota, K. Fumoto, & T. Inamura</i>	
A Study of Mass Loading Limits in Spray Desuperheating	305
<i>D. Ryddner & M.F. Trujillo</i>	
Time-Averaged Spray Analysis in the Near-Field Region Using Broadband and Narrowband X-Ray Measurements	331
<i>D. Li, J.K. Bothell, T.B. Morgan, N. Machicoane, A. Aliseda, A.L. Kastengren, & T.J. Heindel</i>	
Experimental and Computational Investigation of the Effects of Cavitation Regime on Spray Parameters of Stepped Plain Orifice Atomizers	351
<i>D. Sykes & H. Najafi</i>	

ISSUE 5

Experimental Characterization of Wildfire Sprinkler Sprays Using High-Speed Videography	381
<i>A. Green & P. Cooper</i>	
The Influence of Geometrical and Operational Parameters on Internal Flow Characteristics of Internally Mixing Twin-Fluid Y-Jet Atomizers	403
<i>Y.H. Nazeer, M. Ehmann, P. Koukouvinis, & M. Gavaises</i>	
Secondary Atomization of Firefighting Liquid Droplets by Their Collisions	429
<i>Y. Solomatir, N. Shlegel, & P. Strizhak</i>	
Numerical Analysis on Secondary Breakup Process of Metal Droplet in Gas Atomization	455
<i>K. Du, X. Gao, Z. Li, J. Shen, Y. Ma, Y. Hu, & H. Sun</i>	

ISSUE 6

A Study of Spray Performance of MEMS Based Microscale Pressure Swirl Atomizer	477
<i>D. Kumaran, S. Tadigadapa, & M.V. Panchagnula</i>	
Spray Atomization Characteristics of Low Pressure Rotary Injector	493
<i>K. Ghate, S. Sharma, & T. Sundararajan</i>	
Optical Investigation of Spray Characteristics for Light Fuel Oil, Kerosene, Hexane, Methanol and Propane	521
<i>A. Ainsalo, R. Sallinen, O. Kaario, & M. Larmi</i>	
Feedback Control of Coaxial Atomization Based on the Spray Liquid Distribution	545
<i>R. Osuna-Orozco, N. Machicoane, P.D. Huck, & A. Aliseda</i>	
Modeling of Air-Assisted Spray Breakup of Urea-Water Solution Using a Volume-of-Fluid Method	553
<i>A. Naik, M. Höltermann, E. Lauer, S. Blodig, & F. Dinkelacker</i>	

ISSUE 7

Detailed Numerical Simulations of Atomization of a Liquid Jet in a Swirling
--

Gas Crossflow	577
<i>S.R. Prakash, S.S. Jain, J.A. Lovett, B.N. Raghunandan, R.V. Ravikrishna, & G. Tomar</i>	
Geometry Optimization of Air-Assisted Swirl Nozzle Based on Surrogate Models and Computational Fluid Dynamics	605
<i>Z. Yi, L. Hou, Q. Zhang, Y. Wang, & Y. You</i>	
Decoupling the Effect of Surface Tension and Viscosity on Spray Characteristics under Different Ambient Pressures: Near-Nozzle Behavior and Macroscopic Characteristics	629
<i>Z. Feng, S. Tong, C. Tang, C. Zhan, K. Nishida, & Z. Huang</i>	
Improved Atomization using Variable Aspect Ratio Air Swirlers	655
<i>S. Sharma, S. Sahu, & T. Sundararajan</i>	

ISSUE 8

Influence of Energy Exchange between Air and Liquid Streams on Spray Characteristics and Atomization Efficiency of Water–Air Impinging Jets	677
<i>Y. Xia, L. Khezzar, Y. Hardalupas, & M. Alshehhi</i>	
Extraction of Droplet Genealogies from High-Fidelity Atomization Simulations	709
<i>C. Rubel & M. Owkes</i>	
Effect of Nozzle Diameter on Macroscopic Spray Behavior of Heavy-Duty Diesel Engine under Cold-Start Conditions	741
<i>Z. Shi, C.-f. Lee, H. Wu, H. Li, Y. Wu, L. Zhang, & F. Liu</i>	

ISSUE 9

Impact of Operating Conditions on the Spray in a High-Shear Nozzle/Swirler Injector Investigated using High-Fidelity Simulations	763
<i>X. Li</i>	
Experimental Investigation Effects of Parameters of Spray Formation on Porosity and Hardness	783
<i>S.M.A. Hasak & Y. Usta</i>	
Development of a Computing Procedure for the Sequential Atomization Process of a Multiaperture Injector and a Swirl Injector	799
<i>N. Ochiai, J. Ishimoto, A. Arioka, N. Yamaguchi, Y. Sasaki, Y. Komatsu, N. Ouchi, & N. Furukawa</i>	
Visualization Study on the Impacts of Duct Length on Macroscopic Spray Characteristics of Ducted Fuel Injection under Nonvaporizing Conditions	821
<i>F. Li, C.-F. Lee, Z. Wang, & Y. Pei</i>	
Experimental and Semianalytical Investigation of Droplet Deformation in a Cross-Flow	841
<i>S. Joshi & T.N.C. Anand</i>	

ISSUE 10

3D Simulation of Turbulent and Cavitating Flow for the Analysis of Primary Breakup Mechanisms in Realistic Diesel Injection Processes	861
<i>M. Blume, P. Schwarz, H. Rusche, L. Weiß, M. Wensing, & R. Skoda</i>	
Effect of Split Injection on Diesel Spray and Combustion in 2D Piston Cavity	895
<i>K. Yang, K. Nishida, & H. Yamakawa</i>	
Influence of the Elongational Flow Resistance and Pigmentation of Coating Fluids on High-Speed Rotary Bell Atomization	913
<i>W. Oswald, L. Gödeke, P. Ehrhard, & N. Willenbacher</i>	

Spray Formation by a Rotary Atomizer Operating in the Coriolis-Induced Stream-Mode Injection	937
<i>S. Rezayat & M. Farshchi</i>	

ISSUE 11

On the Use of Dynamic Mode Decomposition for Liquid Injection	965
<i>S.B. Leask, V.G. McDonell, & S. Samuelsen</i>	
Mass Distribution and Mixing Measurements in Non-Newtonian Impinging Jets	987
<i>B.R. Halls, A.L. Kastengren, & T.R. Meyer</i>	
The Effect of the Weber Number on the Droplet Deformation and Breakup Process before a Standing Wall	1005
<i>S. Shen, J. Li, J. Liu, T. Si, C. Liu, C. Tang, & W. Fan</i>	
Experimental Study of Primary Atomization in Triple Co-Planar and Non-Planar Impinging Jets	1027
<i>A. Kebriaee & S. Kazemi</i>	

ISSUE 12

An Implicit Formulation to Model the Evaporation Process in the Eulerian-Lagrangian Spray Atomization (ELSA) Framework	1043
<i>L. Palanti, S. Puggelli, A. Andreini, J. Reveillon, B. Duret, & F.X. Demoulin</i>	
A Robust Statistical Algorithm Boundary Detection in Liquid Sprays	1071
<i>C.T. Wanstall, H. Junne, J.A. Bittle, & A.K. Agrawal</i>	
Electrohydrodynamic Instability of a Streaming Dielectric Viscous Liquid Jet with Mass and Heat Transfer	1087
<i>M.F.E. Amer & G.M. Moatimid</i>	
Experimental Investigation of Spray Characteristics of Multi-Hole and Slot GDI Injectors at Various Fuel Temperatures using Closely Spaced Split-Injection Strategies	1109
<i>S. Wu, M. Meinhart, & J. Yi</i>	
Index, Volume 29, 2019	1132

ATOMIZATION AND SPRAYS

AUTHOR INDEX, VOLUME 29, 2019

**Page Range of Issues – 1: 1-103; Issue 2: 105-198; Issue 3: 199-287; Issue 4: 289-380;
Issue 5: 381-476; Issue 6: 477-576; Issue 7: 577-675; Issue 8: 677-762; Issue 9: 763-859;
Issue 10: 861-963; Issue 11: 965-1041; Issue 12: 1043-1131**

- Agrawal, A.K., 1071
Ainsalo, A., 521
Aliseda, A., 331, 545
Alshehhi, M., 677
Amer, M.F.E., 1087
Amini, G., 39
Anand, T.N.C., 841
Andreini, A., 1043
Arioka, A., 799
Bellette, J., 1
Bittle, J.A., 1071
Blodig, S., 553
Blume, M., 861
Bothell, J.K., 331
Cao, T., 177
Cooper, P., 381
Curran, D., 251
Demoulin, F.X., 1043
Dighe, S., 79
Dinkelacker, F., 553
Dolatabadi, A., 39
Du, K., 455
Duan, L., 177
Duke, D.J., 199
Dunn-Rankin, D., 251
Duret, B., 1043
Ehmann, M., 403
Ehrhard, P., 913
Fan, W., 105, 1005
Farshchi, M., 937
Feng, Z., 629
Francelino, D., 1
Fu, Q.-F., 269
Fujii, H., 161
Fumoto, K., 289
Furukawa, N., 799
Gadgil, H., 79
Gao, X., 455
Gavaises, M., 403
Ghate, K., 493
Gödeke, L., 913
Green, A., 381
Guan, W., 177
Halls, B.R., 987
Hardalupas, Y., 677
Hasak, S.M.A., 783
Hashiguchi, K., 161
He, Z., 177
Heindel, T.J., 331
Höltermann, M., 553
Hou, L., 605
Hu, Y., 455
Hu, Z., 19
Huang, Z., 629
Huck, P.D., 545
Ilavsky, J., 199
Inamura, T., 289
Ishimoto, J., 799
Jain, S.S., 577
Joshi, S., 841
Junne, H., 1071
Kaario, O., 521
Kastengren, A.L.,
199, 331, 987
Katagata, N., 289
Kazemi, S., 1027
Kebriaee, A., 1027
Komatsu, Y., 799
Koukouvinis, P., 403
Kumaran, D., 477
Larmi, M., 521
Lauer, E., 553
Leask, S.B., 965
Lee, C.F., 821
Lee, Chia-fon, 741
Li, D., 331
Li, F., 821
Li, H., 741
Li, J., 105, 1005
Li, L., 19
Li, X., 763
Li, Z., 455
Liu, C., 1005
Liu, F., 741
Liu, J., 105, 1005
Lovett, J.A., 577
Ma, X., 105
Ma, Y., 455
Machicoane, N., 331, 545
Massoli, P., 1
Matusik, K.E., 199
McDonell, V.G., 965
Meinhart, M., 1109
Meyer, T., 987
Minniti, M., 251
Moatimid, G.M., 1087
Moon, S., 59, 123
Morgan, T.B., 331
Moussa, O., 1
Mullis, A.M., 143
Naik, A., 553
Najafi, H., 351
Nazeer, Y.H., 403
Nishida, K., 161, 629,
895
Ochiai, N., 799
Okabe, T., 289
Osuna-Orozco, R., 545
Oswald, W., 913
Ouchi, N., 799
Owkes, M., 709
Pachiannan, T., 177
Palanti, L., 1043
Panchagnula, M.V., 477
Parker, T., 251
Patil, S., 217
Pei, Y., 821
Porter, J., 251
Powell, C.F., 199
Prakash, S.R., 577
Prasetya, R., 59, 123
Pratama, R.H., 59, 123
Puggelli, S., 1043
Raghunandan, B.N., 577
Ravikrishna, R.V., 577
Reveillon, J., 1043
Rezayat, S., 937
Rubel, C., 709
Rusche, H., 861
Ryddner, D., 305
Sahu, S., 217, 655
Sakaki, T., 289
Saleh, A., 39
Sallinen, R., 521
Samuelson, S., 965
Sasaki, Y., 799
Sato, K., 161
Schwarz, P., 861
Seong, H.J., 199
Sforzo, B.A., 199
Sharma, S., 493, 655

- Shen, J., 455
Shen, S., 105, 1005
Shi, Z., 741
Shirota, M., 289
Shlegel, N., 429
Si, T., 1005
Skoda, R., 861
Solomatin, Y., 429
Sou, A., 59, 123
Strizhak, P., 429
Sun, H., 455
Sundararajan, T., 493, 655
Sykes, D., 351
Tadigadapa, S., 477
Tang, C., 105, 629 1005
Tarlet, D., 1
Tomar, G., 577
Tong, M.-X., 269
Tong, S., 629
Trujillo, M.F., 305
Usta, Y., 783
Wada, Y., 59, 123
Wang, Q., 177
Wang, Y., 19, 605
Wang, Z., 821
Wanstall, C.T., 1071
Weiβ, L., 861
Wensing, M., 861
Willenbacher, N., 913
Wu, H., 741
Wu, S., 1109
Wu, Y., 741
Wu, Z., 19
Xia, Y., 677
Xie, W., 19
Yamaguchi, N., 799
Yamakawa, H., 895
Yamane, F., 161
Yang, K., 895
Yang, L.-J., 269
Yi, J., 1109
Yi, Z., 605
Yokohata, H., 59, 123
You, Y., 605
Zhai, J., 19
Zhan, C., 629
Zhang, L., 177, 741
Zhang, Q., 605
Zhao, F., 269
Zhao, W., 19
Ziae, A., 251

ATOMIZATION AND SPRAYS

SUBJECT INDEX, VOLUME 29, 2019

**Page Range of Issues – 1: 1–103; Issue 2: 105–198; Issue 3: 199–287; Issue 4: 289–380;
Issue 5: 381–476; Issue 6: 477–576; Issue 7: 577–675; Issue 8: 677–762; Issue 9: 763–859;
Issue 10: 861–963; Issue 11: 965–1041; Issue 12: 1043–1131**

- 2D cavity, 895
acoustic oscillations, 79
acrylic thickener, 913
air-assisted injection, 553
air-assisted swirl nozzle, 605
air-to-liquid energy exchange, 677
alternative fuel, 521
asymmetry, 177
atomization, 1, 199
atomization and sprays, 577
atomization efficiency, 677
atomization mechanism, 161
atomization quality, 677
bag breakup, 841
biofuel, 1
breakup, 455
breakup modes and regimes, 493
breakup frequency, 289
breakup length of liquid film, 289
breakup mode map, 937
bushfire, 381
button, 19
cavitation, 177, 351, 861
CFD, 1043
Coanda effect, 19
coaxial atomization, 655
coaxial atomizer, 331
coherence gating, 251
cold start, 741
collisions, 429
column breakup length, 577
compressible volume of fluid, 403
combustion instability, 79
computational analysis, 351
computational modeling of sprays, 305
Coriolis-induced stream-mode injection, 937
cross-flow, 217
DBI, 1071
dense spray region, 1043
desuperheating, 305
diesel, 351
diesel fuel spray, 199
diesel spray, 821
diesel sprays, 251
discrete droplet model, 799
drop characteristics, 577
droplet, 1
droplet breakup, 1005
droplet deformation and breakup, 105
droplet deformation, 841
droplet size distribution, 655
droplet size, 217, 521, 913
droplet sizing, 677
droplet surface area, 199
droplets, 429
duct length, 821
ducted fuel injection, 821
dynamic mode decomposition, 965
dynamic surface tension, 39
dynamics, 965
ECN Spray A, 1043
Electrohydrodyna-mics, 1087
elliptical jet, 177
elongational flow, 913
ELSA, 1043
emulsion, 1
emulsions, 429
enlarged nozzle, 123
Eulerian–Eulerian, 1043
evaporation, 763, 1043
exposure time, 1071
filming, 763
fire safety, 381
firefighting liquid compositions, 429
flash boiling spray, 1109
flow distribution, 19
fluorescence, 1
Fourier optics and signal processing, 251
fuel injection, 251
gas atomization, 143, 455, 783
GDI multi-hole injector, 1109
GDI slot injector, 1109
global spray structure, 1109
graph database, 709
hardness, 783
heavy oil-fired boiler, 161
heavy-duty diesel fuel, 741
hexane, 521
high T and P, 763
high-pressure sprays, 251
high-speed rotary bell atomization, 913
high-speed shadowgraphy, 217
high-speed video, 143
high-temperature conditions, 429
hydrodynamic stability, 1087
image analysis, 381, 521
image treatment, 1
impinging jet atomizers, 79
impinging jets, 677, 987
impinging spray, 895
in-nozzle cavitation, 59, 123
in-nozzle flow, 861
injection, 351
instability analysis, 217
interface capturing scheme, 553
internal mixing atomizer, 161
internally mixing twin-fluid Y-jet atomizer, 403
irrigation, 381
jet atomization, 763
jet breakup, 709
jet impingement, 269
kerosene, 521
Kriging model, 605
large eddy simulation, 177, 403, 861
laser absorption scattering, 895
LIF, 1
ligament disintegration, 913
liquid boundary detection, 1071
liquid breakup visualization, 677
liquid column breakup, 799
liquid film thickness, 605
liquid jet in cross flow, 577

liquid jet, 59
liquid jets, 1087
liquid mass flux fluctuations, 217
liquid mass loading, 305
liquid penetration length, 741
liquid propellant rocket engines, 79
liquid sheet breakup, 799
liquid sheet, 1027
low oxygen, 895
low-fidelity models, 709
low-pressure injection, 493
machine learning, 965
macroscopic spray characteristics, 629
mass and heat transfer, 1087
mass distribution, 987
mathematical model, 455
melt pulsation, 143
MEMS, 477
metal droplet, 455
methanol, 521
microexplosion, 1
Mie-scattering, 1071
mixing, 987
molten metal droplets, 841
multiphase flow regimes, 403
multiphase flow, 545, 553
multiple scattering, 251
near field, 763
near-nozzle behavior, 629
neo4j, 709
Non-Newtonian fluids, 987
nozzle diameter, 741
object tracking, 143
onion stage, 655
OpenFOAM, 305, 861
optical spray pattern, 477
optimization design, 605
oscillating frequency, 19
oscillating jet technique, 39
overpenetration, 1109
particle size distribution, 19
particle tracking velocimetry, 381
PDIA technique, 937
physical interpretation, 965
physics extraction, 709
plain-orifice nozzle, 59, 123
platelike particles, 913
point-spread function, 381
porosity, 783
prefilming airblast atomizer, 289
pressure swirl atomizer, 477
primary atomization, 177, 1027
primary breakup, 217, 553, 861
principal component analysis, 545
propane, 521
proper orthogonal decomposition, 965
radial velocity, 655
real-time feedback control, 545
roll wave, 289
rotary atomizer, 937
Sauter mean diameter, 199
secondary atomization, 429
secondary breakup, 841
semi-analytical model, 841
shock wave droplet interaction, 105, 1005
simplex atomizer, 493
size distribution, 455
size effect, 59
slurries, 429
solutions, 429
spatially averaged Sauter mean diameter, 677
split injection, 895, 1109
spray angle, 19, 521, 605
spray breakup, 553
spray characteristics, 161
spray diagnostics, 251
spray forming, 783
spray geometry, 521
spray near-field, 331
spray penetration, 521
spray performance, 351
spray tip penetration, 799
spray vaporization, 305
spray, 629
sprays, 1043, 1071
standing wall, 1005
surface coating, 783
surface tension, 629
surface wave, 269
surfactants, 39
suspensions, 39
swirl number, 493
swirling flow, 577, 763
synchrotron X-rays, 31
thin liquid sheet breakup in a gas cross-flow, 937
three-dimensional disturbances, 1087
transient injection, 123
triple impinging jets, 1027
TSA, 49
tube source X-rays, 331
turbid media imaging, 251
turbulence, 351
twice shocked, 1005
twin-fluid atomization, 161
two-color pyrometry, 895
two-fluid coaxial atomization, 545
two-phase flow, 161
ultrafast lasers, 251
ultra-short pulse off-axis digital holography, 251
ultra-small-angle x-ray scattering, 199
uniform fine spray, 493
urea-water solution spray, 533
VAR swirlers, 655
velocity distribution, 19
velocity profile, 269
viscosity, 629
viscous effect, 105
viscous fluids, 1087
volume of fluid, 553, 709, 799, 861
Weber number effect, 1005
wildland-urban interface, 381
x-ray fluorescence, 987
X-ray phase contrast imaging, 59, 12
x-ray radiography, 199, 331, 9