

TsAGI SCIENCE JOURNAL

CONTENTS, VOLUME 46, 2015

Page Range of Issues; Issue 1: 1-85; Issue 2: 87-192; Issue 3: 193-305; Issue 4: 307-409; Issue 5: 411-507; Issue 6: 509-618; Issue 7: 619-714; Issue 8: 715-841

Issues 1

- Discontinuous Galerkin Method for the Reynolds Equation System with the EARSM** 1
I.S. Bosnyakov, V.V. Vlasenko, A.V. Wolkov, S.V. Lyapunov, & A.I. Troshin
- Calculation of Aerodynamic Characteristics of Helicopter Rotor in Hover and Airfoils in Nonstationary Flow** 17
N.A. Vladimirova
- Global Cross-Correlation of the Wall Pressure Fluctuations in Front of the “Forward-Facing Step/Backward-Facing Step” Combination and in its Wake** 29
A.Yu. Golubev & B.M. Efimtsov
- Punching of Pressurized Compartment Shell of a Spacecraft by High-Speed Particles with Generation of Acoustic Waves** 43
S.P. Avershyev, Yu.M. Lipnitskii, G.A. Makarevich, N. Mamadaliev, L.F. Pelipenko, A.L. Polovnev, A.S. Skalkin, P.V. Tretyakov, & A.G. Shokolov
- Experimental Measuring of the Infrared Directional Emissivity of Materials** 55
A.B. Kornilov
- Selection Method of Monitoring Algorithm Thresholds for Airliner's Digital Fly-by-Wire Control System** 63
S.G. Bazhenov & N.B. Lysenkova
- Reduction of Short-Wave Instability of the System of Moment Equations by Means of System Expansion** 75
Yu.A. Nikitchenko

Issue 2

- Numerical Investigation of a Steady Viscous Incompressible Fluid Flow over a Family of Elliptic Cylinders** 87
G.L. Korolev
- Axisymmetric Body at an Angle of Attack in Hypersonic Flow: Heat Problem** 107
V.A. Bashkin, I.V. Egorov, & I.V. Ezhov
- Characteristics Investigation of 2D and 3D Intakes of Supersonic Passenger Aircraft** 123
V.A. Vinogradov, V.A. Stepanov, & Ya.A. Melnikov

Parametric Experimental Investigations on the Cross Correlation of the Pressure Fluctuations Generated by a Cascade of “Forward-Facing Step/Backward-Facing Step” Combinations	143
<i>A.Yu. Golubev & B.M. Efimtsov</i>	
Measurements of Deformation of the Passenger Plane Wing in Flight by the Videogrammetry Method	161
<i>V.P. Kulesh</i>	
Method of Determination of Rational Design Parameters using the Finite-Element Method	175
<i>E.V. Kasumov</i>	

Issue 3

Self-Similar and Limiting Solutions of Turbulent Boundary Layer Equations: Conditions of D'alembert's Paradox	193
<i>V.V. Mikhailov & N.V. Samoilo</i>	
Evolution of Vorticity in Swirling Axisymmetric Flows of a Viscous Incompressible Fluid	209
<i>G.B. Sizykh</i>	
Dynamics of a Vortex Spiral	219
<i>V.F. Molchanov</i>	
Nonuniqueness of the Solution in the Vicinity of the Plane of Symmetry of a Delta Wing in a Hypersonic Flow with Strong Interaction	231
<i>G.N. Dudin & P.H. Nguyen</i>	
Active Cancellation of the Crossflow in a Subsonic Boundary Layer on an Oblique Wing	247
<i>S.V. Manuilovich</i>	
Design of Fly-by-Wire Control System Algorithms for Advanced High-Speed Helicopter	259
<i>V.A. Anikin, O.V. Animitsa, V.M. Kuvshinov, & V.A. Leontiev</i>	
Some Aspects of Modeling a High-Aspect-Ratio Composite Wing-Box by an Anisotropic Beam	289
<i>S.A. Tuktarov & V.V. Chedrik</i>	

Issue 4

Congratulations to Sergei Leonidovich Chernyshev on his 60th Birthday!	307
<i>TsAGI Editorial Board</i>	
Modeling of the Laminar-Turbulent Transition on a Swept and Straight Wings with the use of Numerical Solutions of the Navier–Stokes Equations	309
<i>V.V. Vozhdaev, A.F. Kiselev, D.S. Sboev, L.L. Teperin, & S.L. Chernyshev</i>	
Influence of Small Spatial Perturbations of a Supersonic Flow on Pressure and Heat Flux towards a Cylinder Surface	323
<i>I.V. Egorov & V.V. Shvedchenko</i>	

Special Solutions for Supersonic Flow of an Ideal Gas around the V-shaped Wing with Flow Separations	345
<i>R.Ya. Tugazakov</i>	
Correlation of Flow in the Hypersonic Grad Boundary Layer	357
<i>A.L. Ankudinov</i>	
Estimation of Operating Conditions of the Mid-Range Aircraft Auxiliary Power Unit with Receiver Inlet in Turbulent Flow	365
<i>E.P. Bykov, E.V. Kazhan, & V.F. Tretyakov</i>	
Heuristic Model of Nonsteady Longitudinal Aerodynamic Characteristics at High Angles of Attack	395
<i>P.V. Kuzmin, B.A. Meleshin, Yu.F. Shelyukhin, & D.V. Shukhovtsov</i>	

Issue 5

Selection of the Rational Position of a Slotted Nozzle on the Airfoil with a System of Tangential Jet Blowing for Shock-Induced Separation Suppression	411
<i>A.V. Petrov & P.V. Savin</i>	
High-Temperature Carbon Dioxide Flow Over a Longitudinal Cylinder	423
<i>V.Ya. Borovoy, I.V. Egorov, E.G. Zaitsev, A.S. Skuratov, & I.V. Struminskaya</i>	
Optimal Design of the Nacelle Assembly under the Wing of an Airliner Based on RANS Numerical Simulations	439
<i>N.A. Zlenko & I.A. Kursakov</i>	
Thermodynamic Analysis of Dual-Mode Scramjet Combustor Operation	465
<i>E.A. Meshcheryakov & V.V. Yashina</i>	
Maximum Principle for the Bernoulli Function	485
<i>V.N. Golubkin & G.B. Sizykh</i>	
About the Evaluation of Fatigue Characteristics in the Early Design Stages of Aircraft	491
<i>M.E. Basinov, E.V. Kasumov, S.V. Saltykov, & V.A. Shuvalov</i>	

Issue 6

New Method of Optical Investigations of Boundary Layer State in Aerodynamic Experiment	509
<i>M.A. Brutyan, A.V. Petrov, & A.V. Potapchik</i>	
The Refined Coles' Law of the Wake	519
<i>V.V. Mikhailov & N.V. SamoiloVA</i>	
Method of Optimal Aerodynamic Design of the Nacelle for the Main Propulsion System with a High Bypass Ratio	533
<i>N.A. Zlenko, S.V. Mikhaylov, A.A. Savelyev & A.V. Shenkin</i>	
Numerical Analysis of Single-Expansion Ramp Nozzle Performance in Supersonic Flow	559
<i>A.P. Mazurov</i>	

Method of Computations of Loads at the Design of Rotor Units and Helicopter Control System 577

A.Yu. Barinov & N.S. Pavlenko

The Static Pressure Influence on Electrophysical Characteristics of a Dielectric Barrier Discharge 591

M.D. Gamirullin, V.M. Litvinov, T.A. Pimenova, I.E. Rebrov, A.A. Uspenskii, & A.Yu. Urusov

Hydrogen Injection into a Supersonic Flow of Air in a Channel with Radial Pylons 609

D.P. Alekseev & Yu.V. Tunik

Issue 7

Influence of High-Bypass-Ratio Turbofan Jets on Aerodynamic Characteristics of High-Lift Wing 619

A.V. Petrov & V.F. Tretyakov

Optimization of the Forebody of a Supersonic Flying Vehicle Configuration with a Windward Intake 631

S.A. Takovitskii

Parametric Description of the Airfoil Using Combined Polynomial Functions for Optimization Applications 647

N.V. Nikolaev

One Solution of the Navier-Stokes Equations: Spherically Symmetric Point Source in a Compressible Perfect Gas 657

O.E. Kirillov

Criterion to Select Optimum Values of Aircraft Lateral Static Stability Margin in Landing Approach 671

P. Desyatnik

Investigation of Crack Propagation Process by Measurements of Local Deformation Response: I. Actual Stress Field 687

S.I. Eleonskii, I.N. Odintsev, V.S. Pisarev, & A.V. Chernov

Issue 8

Elimination of the Cross-Flow Instability on the Swept Wing Boundary Layer by Means of Dielectric Barrier Discharge 715

M.V. Ustinov

Energy Characteristics of Plasma Actuators for Boundary Layer Flow Control 733

M.D. Gamirullin, A.P. Kuryachii, V.M. Litvinov, A.A. Uspenskii, & S.L. Chernyshev

Nonlinear Dependencies of Lift on the Angle of Attack in the Lifting-Line Theory 753

A.A. Nikolsky

Effects of Transition Processes on Systematic Errors of Heat Measuring in Wind Tunnels	769
<i>E.P. Stolyarov</i>	
Improvement in Modeling Quality of Unsteady Processes when Using an Explicit Scheme with Fractional Time Stepping	783
<i>S. S. Molev</i>	
Investigation of Crack Propagation Process by Measurements of Local Deformation Response: II. Residual Stress Field	807
<i>A.A. Apalkov, S.I. Eleonsky, I.N. Odintsev, & V.S. Pisarev</i>	
Index to Volume 46	833

TsAGI SCIENCE JOURNAL

AUTHOR INDEX, VOLUME 6, 2015

Page Range of Issues; Issue 1: 1-85; Issue 2: 87-192; Issue 3: 193-305; Issue 4: 307-409; Issue 5: 411-507; Issue 6: 509-618; Issue 7: 619-714; Issue 8: 715-841

- Alekseev, D.P., 609
Anikin, V.A., 259
Animitsa, O.V., 259
Ankudinov, A.L., 357
Apalkov, A.A., 807
Avershyev, S.P., 43
Barinov, A.Yu., 577
Bashkin, V.A., 107
Basinov, M.E., 491
Bazhenov, S.G., 63
Borovoy, V.Ya., 423
Bosnyakov, I.S., 1
Brutyay, M.A., 509
Bykov, E.P., 365
Chedrik, V.V., 289
Chernov, A.V., 687
Chernyshev, S.L., 309, 733
Desyatnik, P., 671
Dudin, G.N., 231
Efimtsov, B.M., 29, 143
Egorov, I.V., 107, 323, 423
Eleonskii, 687, 807
Ezhov, I.V., 107
Gamirullin, M.D., 591, 733
Golubev, A.Yu., 29, 143
Golubkin, V.N., 485
Kasumov, E.V., 175, 491
Kazhan, E.V., 365
Kirillov, O.E., 657
Kiselev, A.F., 309
Kornilov, A.B., 55
Korolev, G.L., 87
Kulesh, V.P., 161
Kursakov, I.A., 439
Kuryachii, A.P., 733
Kuvshinov, V.M., 259
Kuzmin, P.V., 395
Leontiev, V.A., 259
Lipnitskii, Yu.M., 43
Litvinov, V.M., 591, 733
Lyapunov, S.V., 1
Lysenkova, N.B., 63
Makarevich, G.A., 43
Mamadaliyev, N., 43
Manuilovich, S.V., 247
Mazurov, A.P., 559
Meleshin, B.A., 395
Melnikov, Ya.A., 123
Meshcheryakov, E.A., 465
Mikhailov, V.V., 193, 519
Mikhaylov, S.V., 533
Molchanov, V.F., 219
Molev, S.S., 783
Nguyen, P.H., 231
Nikitchenko, Yu.A., 75
Nikolaev, N.V., 647
Nikolsky, A.A., 753
Odintsev, I.N., 687, 807
Pavlenko, N.S., 577
Pelipenko, L.F., 43
Petrov, A.V., 411, 509, 619
Pimenova, T.A., 591
Pisarev, V.S., 687, 807
Polovnev, A.L., 43
Potapchik, A.V., 509
Rebrov, I.E., 591
Saltykov, S.V., 491
Samoilova, N.V., 193, 519
Savelyev, A.A., 533
Savin, P.V., 411
Sboev, D.S., 309
Shelyukhin, Yu.F., 395
Shenkin, A.V., 533
Shokolov, A.G., 43
Shukhovtsov, D.V., 395
Shuvalov, V.A., 491
Shvedchenko, V.V., 323
Sizykh, G.B., 209, 485
Skalkin, A.S., 43
Skuratov, A.S., 423
Stepanov, V.A., 123
Stolyarov, E.P., 769
Struminskaya, I.V., 423
Takovitskii, S.A., 631
Teperin, L.L., 309
Tretyakov, P.V., 43
Tretyakov, V.F., 365, 619
Troshin, A.I., 1
Tugazakov, R.Ya., 345
Tuktarov, S.A., 289
Tunik, Yu.V., 609
Urusov, A.Yu., 591
Uspenskii, A.A., 591, 733
Ustinov, M.V., 715
Vinogradov, V.A., 123
Vladimirova, N.A., 17
Vlasenko, V.V., 1
Vozhdaev, V.V., 309
Wolkov, A.V., 1
Yashina, V.V., 465
Zaitsev, E.G., 423
Zlenko, N.A., 439, 533

TsAGI SCIENCE JOURNAL

SUBJECT INDEX, VOLUME 6, 2015

Page Range of Issues; Issue 1: 1-85; Issue 2: 87-192; Issue 3: 193-305; Issue 4: 307-409; Issue 5: 411-507; Issue 6: 509-618; Issue 7: 619-714; Issue 8: 715-841

- "half power law," 519
- 3D intake, 123
- accuracy order, 1
- acoustic waves, 43
- actuator model, 733
- aerodynamic
 - characteristics, 17
- aerodynamic design, 533
- aerodynamic drag, 631
- aerodynamic experiment, 509
- aerodynamic heating, 107
- aerodynamic performance, 411, 619
- aerodynamic wing
 - characteristics, 161
- airfoil, 17, 411, 647, 753
- airliner, 63
- angle of attack, 107, 395
- asymptotic behavior, 769
- asynchronous operation, 63
- auxiliary power unit, 365
- axisymmetric body, 107
- basic propulsion system, 439
- bending deformation, 161
- Bernoulli integral, 485
- blade deformations, 577
- boundary layer on an oblique wing, 247
- boundary layer, 231, 365, 509
- bow shock wave stand-off, 423
- bulk viscosity, 657
- carbon dioxide, 423
- CFD, 439
- closure moments, 75
- coefficient of pressure, 123
- combustor, 465
- composite material, 289
- computational
 - aerodynamics, 365
 - computational fluid dynamics, 17
 - computational fluid dynamics, 309
 - computational fluid dynamics, 533
- confirmation time, 63
- conical spiral, 219
- control system, 259
- convolution, 657
- crack compliance method, 687, 807
- critical heat supply, 465
- cross correlation, 143
- crossflow, 247
- cylindrical spiral, 219
- delta wing, 231
- design, 491
- designing, 175
- dielectric barrier
 - discharge, 591, 715, 733
- differential equations, 577
- diffusion, 609
- digital fly-by-wire control system, 63
- directional handling
 - qualities criterion, 671
- discontinuous Galerkin method, 1
- distribution, 63
- drag coefficient, 123
- dual-mode scramjet, 465
- electric power, 591, 733
- electronic speckle interferometry, 687, 807
- elliptic cylinder, 87
- energy efficiency, 591
- enthalpy, 423
- EWT-TsAGI software
 - package, 365
 - experimental measuring, 55
 - explicit scheme, 783
 - false alert, 63
 - finite-element method, 289
 - flap, 365
 - flight simulator, 63
 - flight simulator, 671
 - flight tests, 161
 - flow downwash, 395
 - flow rate, 123
 - flow symmetry plane, 107
 - flow velocity, 591
 - forebody, 631
 - forward-facing
 - step/backward-facing step combination, 29, 143
 - fractional time stepping, 783
 - Friedman velocity, 209
 - geometric parameters, 161
 - global cross-correlation, 29
 - global time stepping, 783
 - Grad approximation, 357
 - heat flux density, 769
 - heat flux, 323, 423
 - high-aspect-ratio wing, 289
 - high-lift wing, 619
 - high-speed helicopter, 259
 - high-speed impact, 43
 - hinge moment, 577
 - hole-drilling method, 807
 - hot-shot wind tunnel, 423
 - hydrogen-air mixture, 609
 - hypersonic flow, 107
 - hypersonic flow, 357
 - hypersonic flow, 423

hysteresis, 17
 ideal gas, 345
 identification, 395
 impulse transfer function, 769
 incompressible fluid, 87, 247
 intermittent wind tunnel, 769
 inverse heat transfer problem, 769
 irregular singularity, 657
 jet blowing, 619
 jet momentum coefficient, 411
 Kelvin–Helmholtz instability, 345
 kinetic boundary layer, 357
 laminar–turbulent transition, 309
 laminar–turbulent transition, 715
 lateral static stability margin, 671
 lift force, 395
 lifting time, 753
 local displacement measurements, 687
 longitudinal flow over a cylinder, 423
 low-level turbulence wind tunnel, 309
 main rotor, 17
 Martian atmosphere, 423
 maximum principle, 485
 meteoroid particles, 43
 method of discrete vortices, 209
 mixing of gas flows, 609
 moment equations, 75
 monitoring system, 63
 multispectral directional emissivity of material, 55
 nacelle, 439, 533
 Navier–Stokes equations, 87, 107, 209, 485, 657
 ncompressible viscous fluid, 485
 noncontact measurements, 161
 non-contact measurements, 509
 nonstationary flow, 17
 nonsteady characteristic, 395
 nonsteady flow, 395
 nonuniform flow stagnation, 365
 normal shock wave, 465
 nozzle impulse vector, 559
 nozzle thrust vector, 559
 numerical experiment, 175, 491
 numerical method, 87, 559
 numerical simulation, 107
 optimization, 439, 533, 631, 647
 oscillations, 577
 parameterization, 647
 pitch moment, 395, 631
 plasma actuator, 591
 plate–beam analogy, 289
 polyatomic gases, 75
 pressure fluctuations, 29, 143
 pressure, 323, 423
 pressurized compartment, 43
 probability, 63
 punching (breakdown), 43
 pylon, 439, 609
 receiver, 365
 redundancy, 63
 reflection hologram interferometry, 807
 relaminarization, 193
 residual stress, 807
 Reynolds equation system, 1
 Richtmyer–Meshkov instability, 345
 rotor, 577
 separation, 87, 345
 shock-induced separation, 411
 short-wave instability, 75
 similarity parameters, 769
 single-expansion ramp nozzle, 559
 skin friction coefficient, 193
 slotted nozzle, 411
 small perturbations, 323
 source, 657
 space debris, 43
 spacecraft, 43
 stability and controllability, 259
 static pressure, 591, 733
 steady solution, 87
 strain–stress state analysis, 491
 strength, 175, 491
 stress intensity factor, 687, 807
 stress–strain analysis, 175
 strong viscous-inviscid interaction, 231
 structural modeling, 289
 supersonic passenger aircraft, 123
 SVS-2 wind tunnel, 365
 swept wing, 715
 swirling flow, 209
 tangential jet blowing, 411
 test flights, 63
 the wake law, 519
 thermographic system, 55
 thin body, 357
 threshold, 63
 torsion, 161
 total pressure loss, 465, 609
 total pressure probe, 591, 733
 transition process, 769
 transition trips, 509
 translational nonequilibrium, 357
 transport aircraft, 671
 T-stresses, 687, 807
 turbulence model, 1, 309
 turbulence, 609
 turbulent boundary layer, 519
 turbulent near-wall flow, 193
 two-dimensional problem,

357
two-layered environment,
769
unsteady process, 783
velocity profile, 733

videogrammetry, 161
viscosity, 609
viscous gas, 559
volume force, 247
volumetric force, 591, 733

vortex filament, 219
vortex, 345
V-shaped wing, 345
welded joints, 807
wing, 309, 753