

ISSN 1044-5110
ATSPE2

ATOMIZATION AND SPRAYS

Journal of the International Institutes for Liquid Atomization and Spray Systems

Volume 5

1995

ATOMIZATION AND SPRAYS

Journal of the International Institutes for Liquid Atomization and Spray Systems

Editor

NORMAN CHIGIER

Department of Mechanical Engineering
Carnegie-Mellon University
Pittsburgh, PA 15213-3890
(412) 268-2498

EDITORIAL BOARD

Will Bachalo, *Sunnyvale, CA*
W. Balachandran, *Surrey, U.K.*
Josette Bellan, *Pasadena, CA*
W. Buschulte, *Hardthausen am Kocher, Germany*
H. H. Chiu, *Tainan, Taiwan, R.O.C.*
Lee G. Dodge, *San Antonio, TX*
Norman Dombrowski, *Leeds, U.K.*
C. Dumouchel, *Mont St. Aignan, France*
M. M. Elkotb, *Cairo, Egypt*
G. Faeth, *Ann Arbor, MI*
Omer L. Gulder, *Ottawa, Ontario*
Hiroyuki Hiroyasu, *Hiroshima-shi, Japan*

Jan B. Kennedy, *East Hartford, CT*
Arthur H. Lefebvre, *West Lafayette, IN*
J. E. Peters, *Urbana, IL*
Rolf Reitz, *Warren, MI*
G. S. Samuelsen, *Irvine, CA*
D. W. Senser, *W. Lafayette, IN*
W. A. Sirignano, *Irvine, CA*
Paul Sojka, *West Lafayette, IN*
Yoram Tambour, *Haifa, Israel*
Cam Tropea, *Erlangen, Germany*
A. J. Yule, *Manchester, U.K.*
S. Zanelli, *Pisa, Italy*

Covered in: *Current Contents®/Engineering, Computing & Technology.*

Abstracted in: *Chemical Abstracts Service.*

Indexed in: *SciSearch and Research Alert.*

Editorial Office: Norman Chigier, Department of Mechanical Engineering, Carnegie-Mellon University, Pittsburgh, PA 15213, telephone (412) 268-2498.

Publishing, Advertising, and Production Office: Begell House Inc., 79 Madison Avenue, Suite 1205, New York, NY 10016-7892, telephone (212) 725-1999.

Atomization and Sprays (ISSN 1044-5110) is published bimonthly by Begell House Inc. Annual 1995 institutional subscription rate US \$200. Personal subscription rate US \$60. Personal subscriptions are available to home address only and must be paid for by personal check.

All subscriptions are payable in advance and all rates include surface postage. For foreign airmail service, add \$48.00 per volume. Subscriptions are entered on an annual basis, i.e., January to December. Payments should be made by dollar checks drawn on a U.S. bank.

Copyright © 1995 by Begell House Inc. All rights reserved. Printed in the United States of America. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Begell House Inc. for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$5.00 per copy, plus .00 per page is paid directly to CCC, 27 Congress St., Salem, MA 01970, USA. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is: [1044-5110/95\$5.00 + \$0.00].

The publisher assumes no responsibility for any statements of fact or opinion expressed in the published papers or in the advertisements. **Atomization and Sprays** is owned by Begell House Inc.

CONTENTS OF VOLUME 5

NUMBER 1

- 1 Steady Injection of Identical Clusters of Evaporating Drops Embedded in Jet Vortices **J. Bellan and K. Harstad**
- 17 Unsteady Injection of Sequences of Drop Clusters in Vortices Depicting Portions of a Spray **J. Bellan and K. Harstad**
- 45 Spray Sizing by Tomographic Imaging **C. Oberlé and N. Ashgriz**
- 75 Dense Spray Corrections for Diffraction-Based Particle Size Distribution Measurements **Christine M. Woodall, James E. Peters, and Richard O. Buckius**
- 89 Mechanism of Atomization of a Liquid Jet **Xianguo Li**
- 107 Near-Nozzle Characteristics of a Transient Fuel Spray **Ja Ye Koo and Jay K. Martin**

NUMBER 2

- 123 Ducted Air Flow Induced by Multiple Spray Nozzles **N. Dombrowski and J. Singh**
- 137 A Holographic Investigation of the Near-Nozzle Structure of an Effervescent Atomizer-Produced Spray **Philip J. Santangelo and Paul E. Sojka**
- 157 The Breakup Zone of a Diesel Spray: Part 1, Length of Zone and Volume of Unatomized Liquid **A. J. Yule and D. G. Salters**
- 175 Effects of Initial Flow Conditions on Primary Breakup of Nonturbulent and Turbulent Round Liquid Jets **P.-K. Wu, R. F. Miranda, and G. M. Faeth**
- 197 Multidimensional, Nonhomogeneous, Dense Spray Contributions to Diffraction-Based Particle Size Distribution Measurements **Christine M. Woodall, James E. Peters, and Richard O. Buckius**
- 213 Modeling Heat Transfer to Impinging Fuel Sprays in Direct-Injection Engines **Joel E. Eckhause and Rolf D. Reitz**

NUMBER 3

- 243 Control of Mean Droplet Diameter Issued from Y-Jet-Type Airblast Atomizer by Using Fluid Amplifier **Takao Inamura and Nobuki Nagai**
- 261 Viscosity and Surface Tension Effects in Pressure Swirl Atomization **V. Dorfner, J. Domnick, F. Durst, and R. Köhler**
- 287 Turbulent Sprays in Stagnation Flows **S. C. Li, P. A. Libby, and F. A. Williams**
- 305 Measurements of $\overline{u'_{gi} u'_{pi}}$ in Mixing-Layer Flow with Droplet Loading **M. R. Wang and D. Y. Huang**
- 329 Effects of Drop Loading on Turbulent Diffusivity in a Two-Phase Mixing-Layer Flow **M. R. Wang and D. Y. Huang**
- 343 Fluid Velocity and Shear in Elliptic-Orifice Spray Nozzles **H. Zhu, R. D. Braze, D. L. Reichard, R. D. Fox, C. R. Krause, and A. C. Chapple**

NUMBERS 4 & 5

- 357 Asymptotic Analysis of Droplet Coalescence Effects on Spray Diffusion Flames in a Unidirectional Shear Layer Flow **Y. Tambour and D. Katoshevski**
- 387 Holography Experiments in the Breakup Region of a Liquid Sheet Formed by Two Impinging Jets **B. S. Kang, Y. B. Shen, and D. Poulikakos**
- 403 Streaked Particle Imaging Velocimetry and Sizing in a Spray **D. C. Herpfer, S. Jeng, and S. M. Jeng**
- 417 Atomization of Cross-Injecting Sprays into Convective Air Stream **K. D. Kihm, G. M. Lyn, and S. Y. Son**
- 435 Multipoint Statistical Structure of the Ideal Spray, Part I: Fundamental Concepts and the Realization Density **C. F. Edwards and K. D. Marx**
- 475 Multipoint Statistical Structure of the Ideal Spray, Part II: Evaluating Steadiness Using the Interparticle Time Distribution **C. F. Edwards and K. D. Marx**
- 507 Transient Behavior in the Evolution of Laminar Multisize Spray Diffusion Flames **J. B. Greenberg and I. Shpilberg**

NUMBER 6

- 525** Fractal Dimensions of Liquid Jet Interface under Breakup **Uri Shavit and Norman Chigier**
- 545** Refractive Index Measurements Using the Phase-Doppler Technique **G. Brenn and F. Durst**
- 569** Effect of Cavitation on Flow and Turbulence in Plain Orifices for High-Speed Atomization **Lu He and Francisco Ruiz**
- 585** Assessment of a Fourier-Transform Doppler Signal Analyzer and Comparisons with a Time-Domain Counter Processor **J. Y. Zhu, E. J. Bachalo, R. C. Rudoff, W. D. Bachalo, and V. G. McDonell**
- 603** Comparisons between Experiments and Predictions Based on Maximum Entropy for the Breakup of a Cylindrical Liquid Jet **L. P. Chin, P. C. Hsing, R. S. Tankin, and T. Jackson**
- 621** A Boundary-Element Method for Atomization of a Finite Liquid Jet **J. H. Hilbing, S. D. Heister, and C. A. Spangler**

AUTHOR INDEX TO VOLUME 5

- Ashgriz, N., 45
- Bachalo, E. J., 585
Bachalo, W. D., 585
Bellan, J., 1, 17
Brazee, R. D., 343
Brenn, G., 545
Buckius, R. O., 75, 197
- Chapple, A. C., 343
Chigier, N., 525
Chin, L. P., 603
- Dombrowski, N., 123
Domnick, J., 261
Dorfner, V., 261
Durst, F., 261, 545
- Eckhause, J. E., 213
Edwards, C. F., 435, 475
- Faeth, G. M., 175
Fox, R. D., 343
- Greenberg, J. B., 507
- Harstad, K., 1, 17
He, L., 569
Heister, S. D., 621
Herpfer, D. C., 403
Hilbing, J. H., 621
Hsing, P. C., 603
Huang, D. Y., 305, 329
- Inamura, T., 243
- Jackson, T., 603
Jeng, S., 403
Jeng, S. M., 403
- Kang, B. S., 387
Katoshevski, D., 357
Kihm, K. D., 417
Köhler, R., 261
Koo, J. Y., 107
Krause, C. R., 343
- Li, S. C., 287
Li, X., 89
Libby, P. A., 287
Lyn, G. M., 417
- McDonnell, V. G., 585
Martin, J. K., 107
Marx, K. D., 435, 475
Miranda, R. F., 175
- Nagai, N., 243
- Oberlé, C., 45
- Peters, J. E., 75, 197
Poulikakos, D., 387
- Reitz, R. D., 213
Reichard, D. L., 343
Rudoff, R. C., 585
Ruiz, F., 569
- Salters, D. G., 157
Santangelo, P. J., 137
Shavit, U., 525
Shen, Y. B., 387
Shpilberg, I., 507
Singh, J., 123
Sojka, P. E., 137
Son, S. Y., 417
Spangler, C. A., 621
- Tambour, Y., 357
Tankin, R. S., 603
- Wang, M. R., 305, 329
Williams, F. A., 287
Woodall, C. M., 75, 197
Wu, P.-K., 175
- Yule, A. J., 157
- Zhu, H., 343
Zhu, J. Y., 585

SUBJECT INDEX TO VOLUME 5

- Air flow, ducted, 123
- Air stream, convective, 417
- Airblast atomizer, Y-jet type, 243
- Asymptotic analysis of droplet coalescence effects, 357
- Atomization
 - of cross-injecting sprays into convective air stream, 417
 - of a finite liquid jet, 621
 - of a liquid jet, 75, 621
 - pressure swirl, 261
- Atomizer-produced spray, 137
- Boundary-element method, 621
- Breakup
 - of a cylindrical liquid jet, 603
 - of liquid jet interfaces, 525
 - of nonturbulent and turbulent round liquid jets, 175
- Breakup region, 387
- Breakup zone of a diesel spray, 157
- Cavitation, 569
- Coalescence effects, 357
- Convective air stream, 417
- Counter processor, time-domain, 585
- Cross-injecting sprays, 417
- Cylindrical liquid jet, 603
- Dense spray contributions to diffraction-based particle size distribution measurements, 197
- Dense spray corrections for diffraction-based particle size distribution measurements, 75
- Diesel spray, breakup zone, 157
- Diffraction-based particle size distribution measurements, 75, 197
- Diffusion flames, spray, 357
- Direct-injection engines, 213
- Doppler signal analyzer, 585
- Drop clusters, 1, 17
- Drop loading, effects on turbulent diffusivity in a two-phase mixing-layer flow, 329
- Droplet coalescence effects, 357
- Droplet diameter, mean, 243
- Droplet loading, 305
- Ducted air flow induced by multiple spray nozzles, 123
- Effervescent atomizer-produced spray, 137
- Eliptic-orifice spray nozzles, 343
- Evaporating drops, steady injection of identical clusters embedded in jet vortices, 1
- Finite liquid jet, 621
- Flames, spray diffusion, 507
- Flow
 - in plain orifices for high-speed atomization, 569
 - mixing-layer, 329
- Fluid amplifier, 243
- Fluid velocity in elliptic-orifice spray nozzles, 343
- Fourier-transform Doppler signal analyzer, 585
- Fractal dimensions of liquid jet interfaces under breakup, 525
- Fuel sprays, impinging, 213
- Heat transfer to impinging fuel sprays in direct-injection engines, 213
- High-speed atomization, 569
- Holography, 137, 387
- Ideal spray, multipoint statistical structure, 435, 475
- Imaging, tomographic, 45
- Impinging fuel sprays in direct-injections engines, 213
- Impinging jets, 387
- Initial flow conditions, effects on primary breakup of nonturbulent and turbulent round liquid jets, 175
- Interparticle time, 475
- Jet vortices, 1
- Jets
 - cylindrical, 603
 - impinging, 387
 - liquid, 525, 603, 621

- Laminar multisize spray diffusion flames, 507
- Liquid jet, 175, 621
 - atomization of, 75, 621
 - cylindrical, 603
 - finite, 621
 - interfaces under breakup, 525
- Liquid sheet, 387
- Maximum entropy, 603
- Mean droplet diameter, control of, 243
- Mixing-layer flow, 305
 - two-phase, 329
- Multipoint statistical structure of the ideal spray, 435, 475
- Multisize spray diffusion flames, laminar, 507
- Near-nozzle characteristics of a transient fuel spray, 107
- Near-nozzle structure of an effervescent atomizer-produced spray, 137
- Nonturbulent round liquid jets, 175
- Orifices, plain, for high-speed atomization, 569
- Particle size distribution measurements, 197
 - dense spray corrections, 75
- Phase-Doppler technique, 545
- Plain orifices for high-speed atomization, 569
- Pressure swirl atomization, 261
- Refractive index measurements, 545
- Round liquid jets, 175
- Shear in elliptic-orifice spray nozzles, 343
- Shear layer, unidirectional, 357
- Signal analyzer, Doppler, 585
- Sizing sprays by tomographic imaging, 45
- Spray corrections for diffraction-based particle size distribution measurements, 75
- Spray diffusion flames, 357
 - laminar multisize, 507
- Spray nozzles
 - elliptic-orifice, 343
 - multiple, 123
- Spray sizing by tomographic imaging, 45
- Sprays
 - atomizer-produced, 137
 - cross-injecting, 417
 - ideal, 435, 475
 - streaked particle imaging velocimetry and sizing in, 403
 - turbulent, in stagnation flows, 287
- Stagnation flow, 287
- Statistical structure of the ideal spray, 435, 475
- Steady injection of identical clusters of evaporating drops embedded in jet vortices, 1
- Streaked particle imaging sizing, 403
- Streaked particle imaging velocimetry, 403
- Surface tension effects in pressure swirl atomization, 261
- Time-domain counter processor, 585
- Tomographic imaging, spray sizing, 45
- Transient fuel spray, near-nozzle characteristics, 107
- Turbulence in plain orifices for high-speed atomization, 569
- Turbulent diffusivity, 329
- Turbulent round liquid jets, 175
- Turbulent sprays in stagnation flows, 287
- Two-phase mixing-layer flow, 329
- $\overline{u'_{gi} u'_{pi}}$, measurements of, 305
- Unidirectional shear layer, 357
- Unsteady injection of sequences of drop clusters in vortices depicting portions of a spray, 17
- Viscosity effects in pressure swirl atomization, 261
- Vortices depicting portions of a spray, 17
- Y-jet airblast atomizer, 243